



The Role of Community Pharmacy Bases Vaccination in the USA- Current Practice and Future Trends

Nirlepkumar Patel

Independent Researchers, Chattanooga Tennessee, USA

ABSTRACT

The incorporation of vaccination services within community pharmacies has revolutionized public health delivery in the United States, mitigating substantial gaps in vaccine accessibility and coverage. This review examines the existing practices, obstacles, and prospective developments in pharmacy-based immunization services, highlighting the crucial role of pharmacists in improving vaccine accessibility, equity, and public health results. The study emphasizes the influence of the Federal Retail Pharmacy Program and legislative initiatives like the PREP Act during the COVID-19 pandemic, illustrating the transformation of pharmacists' roles from vaccine administration to patient education and lobbying. Legislative discrepancies, operational limitations, and vaccine reluctance remain despite significant achievements, requiring new solutions such as standardized rules, sophisticated cold-chain systems, and focused public health initiatives. The article promotes the continued growth of pharmacy-based vaccination services by utilizing global perspectives, technology innovations, and cooperative frameworks, positioning pharmacists as essential to fulfilling national public health goals. This analysis establishes a basis for augmenting the position of pharmacists in forthcoming immunization initiatives and fortifying healthcare systems worldwide.

ARTICLE HISTORY

Received June 08, 2022
Accepted June 15, 2022
Published June 22, 2022

KEYWORDS

APhA, PREP Act, Federal Retail Pharmacy Program, Vaccine Hesitancy, Cold-Chain Management, Collaborative Practice Agreements, Electronic Health Records (EHRs), Immunization Certification Programs

Introduction

The United States' vaccination programs have played a crucial role in combating infectious illnesses and reducing their associated morbidity and death. Nevertheless, there are still significant public health concerns regarding coverage discrepancies. The critical need for an efficient vaccination system was brought to light by the COVID-19 epidemic. Thanks mainly to the Federal Retail Pharmacy Program, community pharmacies were pivotal in distributing millions of doses of the COVID-19 vaccine. In response to access issues caused by overburdened healthcare systems, legislation such as the Public Readiness and Emergency Preparedness (PREP) Act granted pharmacists temporary authorization to administer vaccinations to a broader demographic, including children and the medically disadvantaged.

The expanded definition highlighted the role of pharmacies as trustworthy, easily accessible, and community-focused healthcare facilities. Meanwhile, despite efforts to incorporate these therapies into pharmacy operations, standard vaccines, such as those for shingles and influenza, had lower-than-expected adoption. There was a persistent failure to achieve public health goals regarding influenza vaccination rates, which varied greatly across age groups and regions and were made even more difficult by healthcare access disruptions caused by the pandemic.

Pharmacists are responsible for more than just giving out vaccines. They became vital in educating patients and addressing their concerns about the pandemic and vaccination hesitancy caused by

false information. To improve vaccination rates for both standard and COVID-19 vaccines, pharmacists used digital technology, including electronic health records and reminder systems, to help patients stay on top of their vaccination schedules. By helping to reduce equity disparities and improve access to vital immunization treatments, these initiatives demonstrated that community pharmacists can be reliable public health collaborators, highlighting their importance in achieving healthcare goals as a whole [1-3].

Current Practice

U.S Regulatory Structure

State and federal laws governing the administration of vaccines by pharmacists

In the United States, pharmacists are subject to state and federal regulations that specify their ability to administer vaccines. Under specific guidelines, pharmacists are allowed to give vaccines in all 50 states; however, there are differences in the kind of vaccines that are allowed and the age groups that are eligible for immunization. During the COVID-19 pandemic, federal programs such as the Public Readiness and Emergency Preparedness (PREP) Act significantly increased pharmacists' ability to administer vaccines nationwide [1].

Collaborative Practice Agreements and Standing Orders

Pharmacists can deliver vaccines without a direct prescription from a doctor since they often work under standing orders or

Contact: Nirlepkumar Patel, Independent Researchers, Chattanooga Tennessee, USA.

collaborative practice agreements (CPAs). These frameworks, supported by groups like the American Pharmacists Association (APhA), make access more manageable, especially for underprivileged populations [4].

Scope of Vaccines Available Prevalent Vaccines Offered

Pharmacists frequently give immunizations against influenza, COVID-19, shingles (zoster), pneumonia, tetanus, and other travel-related illnesses to increase immunization coverage. Approximately 300 million vaccine doses were administered by pharmacists through the Federal Retail Pharmacy Program during the COVID-19 epidemic, demonstrating their ability to effectively address pressing public health requirements depicted in Figure 1 [1,5].

Pharmacists work with many people, including adults, adolescents, and older people. They are incredibly skilled at connecting with people who might not normally interact with standard healthcare institutions. Younger people, working adults with little access to primary care, and people living in rural or medically underserved areas are all included. Pharmacists are crucial in lowering healthcare disparities and guaranteeing that all populations have fair access to necessary immunizations because of their accessibility, flexible service hours, and trusted community role [6].

Workflow and Delivery Frameworks

Appointment-Oriented Models vs Walk-in Services

Numerous pharmacies provide appointment-based and walk-in immunization programs, enhancing flexibility for consumers. Walk-in services are especially favored for seasonal flu vaccinations and urgent vaccine requirements, whereas appointments are utilized for high-demand vaccines such as COVID-19 [7].

Incorporation of Vaccination Services into Pharmacy Operations

Pharmacy processes incorporate vaccination services smoothly, utilizing specialized personnel, training initiatives, and computerized tools to guarantee efficiency. This integration reduces wait times and enhances accessibility [2].

Training and Certification Criteria for Pharmacists

Pharmacists are required to undergo immunization certification programs, such as those provided by the APhA, encompassing both theoretical and practical training in vaccine administration, immunology, and patient safety. Pharmacists participate in continuing education to remain informed about vaccine recommendations, guidelines, and new public health trends [3,4].

Patient Engagement: Communication Strategies and Vaccine Education

Pharmacists employ in-person consultations, printed resources, and internet platforms to inform patients about the significance of vaccines, rectify misconceptions, and encourage vaccination uptake.

Utilization of Reminders, Follow-Ups, and Electronic Health Records (EHRs)

Advanced EHR systems facilitate pharmacists in dispatching reminders and follow-ups, ensuring patients complete vaccine series and stay current with required immunizations. These tools enhance contact with other healthcare practitioners to ensure improved continuity of care [8].

Impact of Community Pharmacy-Based Vaccination

Immunization administered through community pharmacies has markedly improved public health by augmenting immunization rates and promoting herd immunity, especially in impoverished and rural regions with restricted access to conventional healthcare facilities. The accessibility of walk-in services, extended hours, and strategic locations renders pharmacies a reliable choice for several folks. This concept has demonstrated cost-effectiveness by diminishing the necessity for pricier healthcare interventions, decreasing the overall disease burden, and alleviating the pressure on healthcare systems. The capacity of pharmacists to include immunizations in standard pharmacy procedures reduces logistical difficulties, hence improving service delivery. The COVID-19 pandemic highlighted the essential function of community pharmacies in emergency preparedness and vaccine distribution. Pharmacists delivered more than 300 million COVID-19 vaccine doses through the Federal Retail Pharmacy Program, demonstrating their capacity to effectively address critical public health requirements. The expansion of pharmacists' responsibilities during the pandemic highlighted their capacity to solve public health emergencies and reinforced their role as essential facilitators of vaccine accessibility and equity. Thus, the proper way of addressing the expansion of pharmacist roles is shown in Figure 1 [2].

Challenges and Barriers in Community Pharmacy-based Vaccinations

Vaccination in community pharmacies encounters numerous hurdles that restrict its complete efficacy. Regulatory and policy limitations and considerable discrepancies in state legislation impede pharmacists' scope of practice and capacity to give particular vaccines or cater to specific demographics. Operational concerns, including variable reimbursement procedures and insufficient insurance coverage, create financial obstacles, while staffing constraints and the potential for pharmacist burnout exacerbate service delivery issues. Vaccine reluctance, driven by misinformation and cultural barriers, necessitates pharmacists to allocate extra time and resources towards patient education and trust establishment, all detailed with potential solutions in Table 1. Moreover, supply chain challenges, such as erratic vaccination availability and the necessity for dependable cold storage infrastructure, hinder logistics and service continuity, especially during peak demand periods during public health crises [3,5,9].

Table 1: Challenges and Solutions in Community Pharmacy

Challenge Category	Details	Examples and Insights	Potential Solutions
Regulatory and Policy Constraints	Significant variations in state laws limit pharmacists' scope of practice and authority to administer certain vaccines. Some states allow broader administration rights than others.	Differences in vaccination age limits and vaccine types (e.g., flu vaccines are widely allowed, but travel vaccines are limited in some regions).	Standardize state regulations to allow a uniform scope of practice for pharmacists nationwide.
Operational Challenges	In-consistent reimbursement policies, inadequate insurance coverage, workforce limitations, and pharmacist burnout due to increased demand for services and administrative workload.	Delayed reimbursements create financial stress for pharmacies, while staff shortages hinder service capacity, especially during pandemics.	Develop consistent reimbursement policies and provide support for hiring additional workforce to prevent burnout.
Vaccine Hesitancy	Misinformation, cultural barriers, and lack of trust lead to vaccine hesitancy among populations. Efforts needed include educational campaigns and community engagement strategies.	Communities with historical mistrust of healthcare systems or language barriers exhibit higher levels of hesitancy.	Expand public health education campaigns and engage trusted community leaders to combat misinformation.
Supply Chain Issues	Difficulties preserving constant vaccination availability resulting from changing demand and limited production capability. Moreover, substantial cold storage and distribution mechanisms are essential for vaccine efficacy.	During the COVID-19 pandemic, disruptions in global supply chains highlighted the need for domestic vaccine production capabilities.	Invest in domestic manufacturing and improve cold chain logistics to ensure consistent vaccine availability.

Technological Advancements and Innovations

Technological improvements have considerably improved the efficiency and efficacy of immunization services in community pharmacies [8].

Digital Instruments for Patient Administration

Integrating digital tools, including mobile applications, patient portals, and sophisticated electronic health records (EHRs), markedly improved the management and monitoring of vaccination data. These technologies allowed pharmacists to effectively arrange appointments, dispatch automated reminders for booster doses, and grant patients real-time access to their immunization information, thereby enhancing adherence to vaccination schedules. The integration of EHR systems facilitated easy data exchange between pharmacists and other healthcare practitioners, improving continuity of care and increasing the oversight of COVID-19 immunization initiatives, particularly pediatric and booster distributions. These technologies were crucial in tackling obstacles during the continuing epidemic and ensuring high levels of vaccine adherence [10].

Cold Chain Administration

Innovations in vaccine storage and delivery persist in tackling significant issues related to maintaining the integrity of vaccines, especially mRNA-based COVID-19 vaccines. Advanced cold chain technology, such as real-time temperature monitoring systems, portable ultra-cold freezers, and intelligent tracking solutions, guaranteed that vaccines were reliably preserved within mandated temperature ranges from producers to administration locations. These advancements were crucial during the deployment of revised COVID-19 boosters and other in-demand vaccinations,

where distribution complexity and the necessity for extensive cooperation were substantial. These technologies were critical in fulfilling the global immunization requirements [11].




Figure 1: Block Cycle Depicting Future Trends and Opportunities in Pharmacy-Based Vaccination

Data Analysis

Using data analytics has enabled pharmacists to track vaccination trends and evaluate outcomes efficiently. Through data analysis, pharmacists may discern underserved demographics, forecast vaccine demand, and assess the efficacy of vaccination initiatives. These insights facilitate targeted interventions and

optimize resource allocation, improving public health outcomes. Collectively, these technical innovations enhance the accessibility, efficiency, and reliability of pharmacy-based immunization [8,11].

Future Trends in Pharmacist Roles and Legislations

The future of community pharmacy-based immunization is set for substantial expansion, propelled by enhanced responsibilities for pharmacists and favorable legislative advancements [12].

Augmentation of Pharmacist Responsibilities

Pharmacists are expected to assume a more extensive part in immunization initiatives, delivering newly formulated vaccines and broadening services to encompass pediatric demographics. These developments will establish pharmacists as essential providers of vaccines for all age demographics, enhancing vaccine accessibility and equity [9].

Progress in Legislation

Improving pharmacists' prescriptive authority and standardizing their practice area depends on progress toward more homogeneity in state laws. Legislative projects meant to unify regulations will enable pharmacists to offer a broader range of vaccines, enhancing public health goals and relieving congestion in the healthcare system. These changes will generally strengthen the health and general and enhance roles [10].

Opportunities in Collaborative Frameworks, Research and Policy

Integrating community pharmacists into extensive healthcare networks presents a promising opportunity to enhance immunization services.

Community pharmacists can improve immunization processes and patient outcomes and optimize resource efficiency by collaborating with primary care clinicians and specialists as healthcare organizations transition to team-based methodologies.

The participation of pharmacists in vaccine trials and studies is a growing trend, which allows them to offer valuable insights into the efficacy and administration methodologies of vaccines. Their active participation further bolsters their ability to formulate vaccination strategies.

The sustainability and expansion of pharmacy-based immunization services should be the primary focus of future strategies. The sustained success of these initiatives will be ensured by techniques such as financing training programs, investing in technical infrastructure, and rewarding pharmacist involvement. These trends and opportunities collectively establish pharmacists as leaders in immunization initiatives, making community pharmacies indispensable for realizing public health objectives.

International Insights and Implications for the United States

Vaccination procedures at community pharmacies vary globally, offering valuable insights for the United States. Pharmacies have been effectively integrated into the national immunization frameworks of countries such as the United Kingdom, Canada, and Australia. In the United Kingdom, pharmacists administer various vaccines, such as influenza, COVID-19, and travel-related immunizations, by consistent reimbursement frameworks and standards.

Similarly, Canadian administrations have granted pharmacists the authority to administer vaccines, which has led to an increase in immunizations, particularly in impoverished areas. The increased responsibilities of pharmacists in administering routine and emergency vaccines in European countries like France and Portugal have improved vaccine accessibility and adherence.

The insights from these nations emphasize the importance of public awareness initiatives, comprehensive reimbursement structures, and standardized regulatory frameworks. The United States can modify these strategies by standardizing state legislation to increase pharmacists' influence and ensure that pharmacy-based services receive uniform financial support. Additionally, the utilization of pharmacists for public health education and the mitigation of vaccination hesitancy through community engagement are both established strategies that have the potential to enhance vaccine coverage. The United States can assure equal access and improved public health outcomes by implementing these global best practices to strengthen the function of community pharmacies in its immunization initiatives [12].

Conclusion

Vaccination services provided by community pharmacies have emerged as a crucial component of public health, markedly enhancing vaccine accessibility, equity, and coverage among various populations. The role of pharmacists has expanded from vaccine administration to include education, advocacy, and the mitigation of vaccination hesitancy, especially during the COVID-19 pandemic. Initiatives such as the Federal Retail Pharmacy Program and legislative actions like the PREP Act have illustrated the capacity of utilizing community pharmacies to address public health concerns efficiently. These projects have demonstrated pharmacists' capacity to address disparities in healthcare by administering immunizations to disadvantaged and vulnerable people, hence alleviating pressure on conventional healthcare systems.

Nonetheless, the complete potential of pharmacy-based immunization is impeded by problems including regulatory inconsistency, financial and operational obstacles, and public mistrust exacerbated by disinformation. Resolving these difficulties necessitates coordinated efforts, encompassing the harmonization of rules, establishing comprehensive reimbursement frameworks, and integrating sophisticated technologies such as electronic health records and cold-chain advancements. Through the integration of global best practices, the promotion of collaborative healthcare frameworks, and the enhancement of pharmacist training, community pharmacies can significantly augment their influence on public health. Advancing pharmacists through policy support and sustainable funding is essential for ensuring equitable vaccination access and promoting national and global health objectives.

References

- [1] AT Bach, JA Goad. The role of community pharmacy-based vaccination in the USA: Current practice and future directions. *Integrated Pharmacy Research and Practice*. 2015; 4: 67-77.

- [2] A Andy. The expanding role of pharmacists in certified immunization services: Impact on public health and accessibility. *Int J Innov Res Creat Technol.* 2019; 5: 2.
- [3] US Department of Labor Bureau of Labor Statistics, "Pharmacists," in *Occupational Outlook Handbook*, Washington, DC: U.S. Department of Labor Bureau of Labor Statistics. 2014; Available at: <http://www.bls.gov/ooh/healthcare/pharmacists.htm>.
- [4] S Mishra, B Sahu. Pharmacy-Based Immunization Services: Current Status and Future Prospects. *J Cardiovasc Dis Res.* 2021; 12: 173-176.
- [5] JD Grabenstein, HA Guess, AG Hartzema, GG Koch, TR Konrad. Attitudinal factors among adult prescription recipients associated with choice of where to be vaccinated. *J Clin Epidemiol.* 2002; 55: 279-284.
- [6] The American Journal of Managed Care. The essential role of community pharmacies in expanding access to vaccines. *AJMC Perspect.* 2018; Available at: <https://www.ajmc.com/view/essential-role-community-pharmacies-expanding-access-vaccines>.
- [7] AN Patil, BM Padhy, SK Prasanthi, R Rohilla. Drug information center in India: Overview, challenges, and future prospects. *Int J Pharma Investig.* 2018; 8: 1-6.
- [8] AS Postema, RF Breiman, NVAC. Adult immunization programs in nontraditional settings: quality standards and guidance for program evaluation. *MMWR Recomm Rep.* 2000; 49: 1-13.
- [9] C Anderson, T Thornley. It's easier in pharmacy': why some patients prefer to pay for flu jabs rather than use the National Health Service. *BMC Health Serv Res.* 2014; 14: 35.
- [10] National Community Pharmacists Association (NCPA). 2010. Available at: <https://www.ncpa.co/issues/APOCT2010.pdf>.
- [11] J Papastergiou, C Folkins, W Li, J Zervas. Community pharmacist-administered influenza immunization improves patient access to vaccination. *Can Pharm J.* 2014; 147: 359-365.
- [12] APhA-Annual Pharmacy-Based Influenza and Adult Immunization Survey 2013. Available at: <https://www.pharmacist.com/sites/default/files/files/Annual%20Immunization%20Survey%20Report.pdf>.
- [13] D Lau, J Hu, SR Majumdar, DA Storie, SE Rees, et al. Interventions to improve influenza and pneumococcal vaccination rates among community-dwelling adults: a systematic review and meta-analysis. *Ann Fam Med.* 2012; 10: 538-546.